

SIDING PRODUCT DIRECTORY

VINYL AND METAL

M a r c h 2 0 2 3



Siding • Soffit • Accessories



GENTEK®

GENTEK VINYL SIDING COLOR COLLECTION

Incorporating advanced manufacturing technologies and exciting new color formulations, our extensive color palette ensures exceptional results... design inspired and architecturally beautiful.

Classic Colors

Snow White	Monterey Sand	Pearl
Linen	Wicker	Dover Gray
Sandstone	Canyon Clay	Sage
Maize	Pebble	Juniper Grove
Almond		

Designer Colors

Majestic Brick	Meadow Fern	Storm
Dark Drift	Moonlit Moss	Chesapeake Gray
Rockport Brown	Harbor Bay	Hudson Slate
Espresso	Coastal Blue	Windswept Smoke
Musket Brown (soffit only)	Midnight Surf	Iron Ore
Smoked Timber	Marine Dusk	Black (soffit only)



	INSULATED VINYL SIDING
4	SEQUOIA SELECT ENFUSION
	VINYL SIDING
5	SEQUOIA SELECT
6	SEQUOIA SELECT BOARD & BATTEN
7	SEQUOIA SELECT EXTENDED LENGTH
8	SIGNATURE SUPREME
9	CENTENNIAL BEADED
10	CONCORD
11	AURORA II
	SHAKES & SCALLOPS
12-13	FAIRHAVEN SOUND SINGLE SELECT
	VINYL SOFFIT & ACCESSORIES
14	SEQUOIA SELECT Ultra-Premium Soffit
15	OXFORD Premium Soffit
16	BEADED Premium Soffit
17	FAIRWEATHER Soffit
18	Deep-Pocket Insulated Vinyl Accessories
19-25	Vinyl Accessories
	ALUMINUM SIDING
26	CEDARWOOD
27	WOODGRAIN SERIES 2000
28	DELUXE
	ALUMINUM SOFFIT, FASCIA & ACCESSORIES
29-30	HI-TENSILE Soffit – Poly Finish
31	DELUXE Fascia
32-34	Aluminum Accessories
	STEEL SIDING
35	CEDARWOOD
36	STEELTEK SUPREME
37	STEELTEK
38	STEELSIDE
39	UNIVERSAL
	STEEL FASCIA & ACCESSORIES
40	Steel Fascia
41-44	Steel Accessories
	SEAMLESS STEEL COIL
45	SteelTek Supreme with Kynar PVDF
	TRIM COIL
46	Steel Trim Coil
47-49	Aluminum Trim Coil
	GUTTER COIL
50-51	Aluminum Gutter Coil
	COLOR MATRIX
52-53	Vinyl Siding
54-55	Shakes & Scallops
54-55	Vinyl Soffit
56-57	Deep-Pocket Insulated Vinyl Accessories
58-59	Vinyl Accessories
60-61	Aluminum Siding, Soffit & Fascia
62-63	Aluminum Accessories
64-65	Steel Siding & Fascia
66-67	Steel Accessories
66-67	Seamless Steel Coil
68-69	Aluminum & Steel Trim Coil
70-71	Trim Coil – Competitive Brands
72-73	Gutter Coil
	ARCHITECTURAL SPECIFICATIONS
74-75	Vinyl Architectural Specifications
76-77	Shakes & Scallops Architectural Specifications
78-79	Aluminum Architectural Specifications
80-81	Steel Architectural Specifications


Not all products are available in all markets.

PRODUCT CODE & DESCRIPTION

13570
Double 5"
Dutch Lap

3/4" Butt (19)
 Panel Projection 1-1/4" with foam
 2-5" Exposure per Panel (127/254)
 16'4" Length (4979)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 7 pcs. per ctn.
 .95 sq. per ctn. (8.84 m²)



13575
Double 6"
Clapboard

3/4" Butt (19)
 Panel Projection 1-1/4" with foam
 2-6" Exposure per Panel
 (152.4/304.8)
 16'8" Length (5080)
 .046" Nominal Thickness
 Cedargrain Texture

Packaging:
 6 pcs. per ctn.
 1 sq. per ctn. (9.3 m²)



For deep-pocket insulated vinyl siding accessories, see page 18.

COLORS

Snow White
 Almond
 Dover Gray
 Canyon Clay
 Juniper Grove
 Pebble
 Sage
 Wicker
 Chesapeake Gray†
 Dark Drift†
 Harbor Bay†
 Hudson Slate†
 Meadow Fern†
 Midnight Surf†
 Moonlit Moss†
 Storm†
 Windswept Smoke†


†Designer color.

PRODUCT CODE & DESCRIPTION

13715
Double 4"
Clapboard

3/4" Butt (19)
 2-4" Exposure per Panel
 (101.6/203.2)
 12'6" Length (3810)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 24 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13714
Double 4-1/2"
Dutch Lap

3/4" Butt (19)
 2-4.5" Exposure per Panel
 (114.5/229)
 12'1" Length (3683)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 22 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13719
Double 5"
Clapboard

3/4" Butt (19)
 2-5" Exposure per Panel (127/254)
 12' Length (3658)
 .046" Nominal Thickness
 Cedargrain Texture


Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



13741
Double 5"
Dutch Lap†

3/4" Butt (19)
 2-5" Exposure per Panel (127/254)
 12' Length (3658)
 .046" Nominal Thickness
 Cedargrain Texture

Packaging:
 20 pcs. per ctn.
 2 sqs. per ctn. (18.6 m²)



COLORS

Snow White
 Almond
 Dover Gray
 Linen
 Maize
 Monterey Sand
 Pearl
 Sandstone
 Canyon Clay
 Juniper Grove
 Pebble
 Sage
 Wicker
 Chesapeake Gray†
 Coastal Blue†
 Dark Drift†
 Espresso†
 Harbor Bay†
 Hudson Slate†
 Iron Ore†
 Majestic Brick†
 Marine Dusk†
 Meadow Fern†
 Midnight Surf†
 Moonlit Moss†
 Rockport Brown†
 Smoked Timber†
 Storm†
 Windswept Smoke†

†Designer colors not available in all markets.

PRODUCT CODE & DESCRIPTION		COLORS
13373	1/2" Batten Height (12.7)	Snow White
7" Board & Batten	1-1/2" Batten Width (38.1)	
	7" Exposure per Panel (178.5)	
	10' Length (3048)	Almond
	.048" Nominal Thickness	Dover Gray
	Light Roughsawn Texture	Linen
	Packaging:	Maize
	17 pcs. per ctn.	Monterey Sand
	1 sq. per ctn. (9.2 m ²)	Pearl
		Sandstone
		Canyon Clay
		Juniper Grove
		Pebble
		Sage
		Wicker
		Chesapeake Gray†
		Coastal Blue†
		Dark Drift†
		Espresso†
		Harbor Bay†
		Hudson Slate†
		Iron Ore†
		Majestic Brick†
		Marine Dusk†
		Meadow Fern†
		Midnight Surf†
		Moonlit Moss†
		Rockport Brown†
		Smoked Timber†
		Storm†
		Windswept Smoke†
		†Designer colors not available in all markets.


PRODUCT CODE & DESCRIPTION		COLORS
13710	3/4" Butt (19)	Snow White
Double 4" Clapboard	2-4" Exposure per Panel (101.6/203.2)	
	16'1" Length (4903)	Almond
	.046" Nominal Thickness	Dover Gray
	Cedargrain Texture	Linen
	Packaging:	Maize
	14 pcs. per ctn.	Monterey Sand
	1.5 sqs. per ctn. (14 m ²)	Pearl
		Sandstone
		Canyon Clay
		Juniper Grove
		Pebble
		Sage
		Wicker
		Chesapeake Gray†
		Coastal Blue†
		Dark Drift†
		Espresso†
		Harbor Bay†
		Hudson Slate†
		Iron Ore†
		Majestic Brick†
		Marine Dusk†
		Meadow Fern†
		Midnight Surf†
		Moonlit Moss†
		Rockport Brown†
		Smoked Timber†
		Storm†
		Windswept Smoke†
		†Designer colors not available in all markets.



SIGNATURE SUPREME® VINYL SIDING

PRODUCT CODE & DESCRIPTION


13404 Double 4" Clapboard



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


13436 Double 4" Dutch Lap



5/8" Butt (15.9)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.044" Nominal Thickness
Hardwood Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


13413 Double 5" Clapboard



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

13415 Double 5" Dutch Lap



5/8" Butt (15.9)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.044" Nominal Thickness
Hardwood Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

COLORS

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Dark Drift†
Harbor Bay†
Hudson Slate†
Majestic Brick†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Storm†
Windswept Smoke†


†Designer color; D5 and D5D designer colors not offered in all markets.

CENTENNIAL™ VINYL SIDING

B E A D E D

PRODUCT CODE & DESCRIPTION

13629 6-1/2" Beaded



11/16" Butt (17.5)
6-1/2" Exposure per Panel (165.1)
12'3-3/4" Length (3753)
.044" Nominal Thickness
Brushed Texture

Packaging:
30 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker
Chesapeake Gray†
Harbor Bay†
Meadow Fern†
Rockport Brown†
Storm†

†Designer color.



PRODUCT CODE & DESCRIPTION

COLORS

13904 Double 4" Clapboard



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond

Dover Gray

Linen


Maize

Monterey Sand

Pearl

Sandstone

13912 Double 4" Dutch Lap



1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay


Juniper Grove

Pebble

Sage

Wicker

13939 Double 5" Clapboard



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Chesapeake Gray†

Dark Drift†

Harbor Bay†

Hudson Slate†


Meadow Fern†

Storm†

Windswept Smoke†

†Designer color; D5 and D5D designer colors not offered in all markets.

13930 Double 5" Dutch Lap



1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
12' Length (3658)
.042" Nominal Thickness
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)



PRODUCT CODE & DESCRIPTION

COLORS

13825 Double 4" Clapboard



7/16" Butt (11.1)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
.040" Nominal Thickness
Cedargrain Texture

Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond

Dover Gray

Linen


Maize

Monterey Sand

Pearl

Sandstone

13826 Double 4-1/2" Dutch Lap



7/16" Butt (11.1)
2-4.5" Exposure per Panel
(114.5/229)
12'1" Length (3683)
.040" Nominal Thickness
Cedargrain Texture

Packaging:
22 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay

Juniper Grove

Pebble

Sage

Wicker

Chesapeake Gray†

Storm†

†Designer color.



FAIRHAVEN SOUND[®] SINGLE SELECT | SHAKES & SCALLOPS

Ultra-Premium Shakes & Scallops


PRODUCT CODE & DESCRIPTION

COLORS^{*}

13988
Traditional Shake

5/8" Butt (15.9)
7" Single Exposure (177.8)
6'9" Length (2057.4)
.085" Nominal Thickness
Natural Cedar Texture
Polypropylene

Packaging:
13 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)




Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

13992
Scallop

1/2" Butt (12.7)
6-1/4" Single Exposure (158.8)
6'4" Length (1930.4)
.085" Nominal Thickness
Natural Cedar Texture
Polypropylene

Packaging:
15 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)




Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

13994
Cape Cod Shingle

1/2" Butt (12.7)
2-5" Exposure per Panel (127/254)
5'5" Length (1651)
.075" Nominal Thickness
Natural Cedar Texture
Polypropylene

Packaging:
11 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)




Chesapeake Gray†
Coastal Blue†
Dark Drift†
Espresso†
Harbor Bay†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Smoked Timber†
Storm†
Windswept Smoke†

13993
Hand-Split Shake

5/8" Butt (15.9)
9" Single Exposure (228.6)
6'4-1/2" Length (1943.1)
.100" Nominal Thickness
Polypropylene
Deep Cedargrain Texture
Staggered Bottom Edge

Packaging:
11 pcs. per ctn.
.5 sq. per ctn. (4.65 m²)



†Designer color.



FAIRHAVEN SOUND[®] SINGLE SELECT | ACCESSORIES

Ultra-Premium Shakes & Scallops

PRODUCT CODE & DESCRIPTION

COLORS^{*}

14972
Traditional Shake Corner

15.86" Length (402.8)
Natural Cedar Texture

Packaging:
10 pcs. per ctn.
13.2 lineal ft. per ctn. (4 m)



Snow White
Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

14974
Hand-Split Shake Corner

20.18" Length (512.6)
Deep Cedargrain Texture

Packaging:
10 pcs. per ctn.
16.8 lineal ft. per ctn. (5.1 m)



Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

15160
Starter Strip*

10' Length (3.1 m)

Packaging:
25 pcs. per ctn.
250 lineal ft. per ctn. (76.2 m)

No Color

*Aluminum starter strip.



Chesapeake Gray†
Coastal Blue†
Dark Drift†
Espresso†
Harbor Bay†
Hudson Slate†
Iron Ore†
Majestic Brick†
Marine Dusk†
Meadow Fern†
Midnight Surf†
Moonlit Moss†
Rockport Brown†
Smoked Timber†
Storm†
Windswept Smoke†

13998
AccuClip

Packaging:
25 pcs. per bag
4 bags per ctn.

Stainless steel install clip secures top course of shake and scallops.




†Designer color.

PRODUCT CODE & DESCRIPTION

| COLORS

16388
12" T-4
**Solid Soffit/
 Vertical Siding**

12" Exposure per Panel (304.8)
 12' Length (3658)
 .044" Nominal Thickness
 3/4" Nominal Panel Projection
 Matte Texture




Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

16386
12" T-4
Soffit/Hidden Vent



12" Exposure per Panel (304.8)
12' Length (3658)
.044" Nominal Thickness
3/4" Nominal Panel Projection
Matte Texture
10 sq. inches ventilation
per lineal foot

Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

Musket Brown†


†Designer color;
soffit use only.

PRODUCT CODE & DESCRIPTION

COLORS

16312
10" D-5
Solid Soffit/
Vertical Siding

10" Exposure per Panel (254)
 10' Length (3048)
 .042" Nominal Thickness
 1/2" Nominal Panel Projection
 Light Roughsawn Texture




Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Snow White

Almond
Dover Gray
Linen
Maize
Monterey Sand
Pearl
Sandstone

16321
10" D-5
Solid Soffit/
Vertical Siding



10" Exposure per Panel (254)
12' Length (3658)
.042" Nominal Thickness
1/2" Nominal Panel Projection
Light Roughsawn Texture

Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)

Canyon Clay
Juniper Grove
Pebble
Sage
Wicker

Black†*


Chesapeake Gray†

Musket Brown†*

Storm†


†Designer color.
*Soffit use only.

16320
10" D-5
Fully Vented Soffit





10" Exposure per Panel (254)
12' Length (3658)
.042" Nominal Thickness
1/2" Nominal Panel Projection
Light Roughsawn Texture
5.3 sq. inches ventilation
per lineal foot


Packaging:
20 pcs. per ctn.
2 sqs. per ctn. (18.6 m²)


PRODUCT CODE & DESCRIPTION	COLORS
16345 8" Solid Soffit*	Snow White
	Linen
8" Exposure per Panel (203.2) 12'6" Length (3810) .042" Nominal Thickness 3/8" Nominal Panel Projection Matte Texture	Monterey Sand
Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m²)	Canyon Clay
	Pebble
	Wicker

*Soffit use only.

16346 8" Vented Soffit	8" Exposure per Panel (203.2) 12'6" Length (3810) .042" Nominal Thickness 3/8" Nominal Panel Projection Matte Texture 2.4 sq. inches ventilation per lineal foot
	Packaging: 12 pcs. per ctn. 1 sq. per ctn. (9.29 m²)

PRODUCT CODE & DESCRIPTION	COLORS
16550 12" T-4 Solid Soffit/ Vertical Siding	Snow White
	Almond
12" Exposure per Panel (304.8) 12' Length (3658) .040" Nominal Thickness 1/2" Nominal Panel Projection Brushed Texture	Dover Gray
Packaging: 16 pcs. per ctn. 1.92 sqs. per ctn. (17.8 m²)	Linen
	Maize
	Monterey Sand
	Pearl
	Sandstone

16570 12" T-4 Center Vented Soffit*	12" Exposure per Panel (304.8) 12' Length (3658) .040" Nominal Thickness 1/2" Nominal Panel Projection Brushed Texture 2.3 sq. inches ventilation per lineal foot
	Packaging: 16 pcs. per ctn. 1.92 sqs. per ctn. (17.8 m²)
	*Available in Snow White only.

16590 12" T-4 Fully Vented Soffit	12" Exposure per Panel (304.8) 12' Length (3658) .040" Nominal Thickness 1/2" Nominal Panel Projection Brushed Texture 7.1 sq. inches ventilation per lineal foot
	Packaging: 16 pcs. per ctn. 1.92 sqs. per ctn. (17.8 m²)

†Designer color.
**Soffit use only.

DEEP-POCKET INSULATED VINYL ACCESSORIES VINYL


PRODUCT CODE & DESCRIPTION

COLORS

14518
4"
Outside Corner Post
with Foam

4" Face (101.6)
10' Length (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



14061
1-1/4" J-Channel
with 1" Face

12' Length (3658)
Brushed Texture


Packaging:
30 pcs. per ctn.
432 lineal ft. per ctn. (131.7 m)



K661945
Easy Start Starter Strip

12'6" Length (3810)

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



ACCESSORIES VINYL


PRODUCT CODE & DESCRIPTION

COLORS

14515
3-1/2"
Outside Corner Post

3-1/2" Face (88.9)
10' Length (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



14525
3"
Outside Corner Post

3" Face (76.2)
10' Length (3048)
Brushed Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



15030
Bay & Bow
Outside Corner Post

2" Face (50.8)
12'6" Length (3810)
Matte Texture


Packaging:
10 pcs. per ctn.
125 lineal ft. per ctn. (38 m)



14981
6" Designer
Outside Corner Post


6" Face (152.4)
20' Length (6096)
Brushed Texture


Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)





PRODUCT CODE & DESCRIPTION

COLORS

15026 7" Fluted Corner Post with Foam Insert	20' Length (6096) Matte Texture	See Matrix On Pages 58-59.
Packaging: 5 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m)		
		


15020 Beaded Corner Post with Foam Insert	20' Length (6096) Matte Texture	
Packaging: 5 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m)		
		


14110 3/4" Inside Corner Post	10' Length (3048) Brushed Texture	
Packaging: 10 pcs. per ctn. 100 lineal ft. per ctn. (30.5 m)		
		


14098 1/2" J-Channel	12' Length (3658) Brushed Texture	
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m)		
		


PRODUCT CODE & DESCRIPTION

COLORS

14057 5/8" Premium J-Channel	12' Length (3658) Brushed Texture	See Matrix On Pages 58-59.
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m)		
		

14095 3/4" Premium J-Channel	12' Length (3658) Brushed Texture	
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m)		
		

14092 1-1/8" J-Channel	12' Length (3658) Brushed Texture	
Packaging: 40 pcs. per ctn. 480 lineal ft. per ctn. (146.3 m)		
		

14061 (Special Order) 1-1/4" J-Channel* with 1" Face	12' Length (3658) Brushed Texture	
Packaging: 30 pcs. per ctn. 432 lineal ft. per ctn. (131.7 m)		
* Can be used with Sequoia Select EnFusion insulated siding.		
		

PRODUCT CODE & DESCRIPTION


COLORS

14072 (Special Order)
1-1/2" J-Channel

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.


Packaging:
30 pcs. per ctn.
360 lineal ft. per ctn. (109.8 m)



14093
2-1/2" Wide Face J-Channel

12' Length (3658)
Brushed Texture

Packaging:
18 pcs. per ctn.
216 lineal ft. per ctn. (65.8 m)




14078
Undersill Trim*

12' Length (3658)
Brushed Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)


*Also used as a starter strip for 5" lineal.



14995
Double Undersill Trim

12'6" Length (3658)
Smooth Texture

Packaging:
20 pcs. per ctn.
250 lineal ft. per ctn. (76.2 m)



PRODUCT CODE & DESCRIPTION


COLORS

14983
Drip Cap

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.

Packaging:
45 pcs. per ctn.
540 lineal ft. per ctn. (164.6 m)




14587
3-1/2" Window/Door Surround*

3-1/2" Face (88.9)
20' Length (6096)
Matte Texture

Packaging:
5 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)

*Use with surround starter (14989).




15005
5" Window/Door Surround*

5" Face (127)
20' Length (6096)
Matte Texture

Packaging:
10 pcs. per ctn.
200 lineal ft. per ctn. (61 m)


*Use undersill trim (14078) as starter.



14989
Surround Starter

12' Length (3658)

Packaging:
25 pcs. per ctn.
300 lineal ft. per ctn. (91.4 m)



PRODUCT CODE & DESCRIPTION

COLORS


14980
Starter Strip*

12' Length (3658)

See Matrix On
Pages 58-59.

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)


*For Sequoia Select vinyl siding, use
aluminum starter strip (0109025)
located on page 33.



14094
F-Channel

12' Length (3658)
Brushed Texture


Packaging:
24 pcs. per ctn.
288 lineal ft. per ctn. (87.8 m)



14086
3/4" F-Channel

12'6" Length (3810)
Brushed Texture


Packaging:
32 pcs. per ctn.
400 lineal ft. per ctn. (122 m)



14986
3/8" Soffit Cove
J-Channel

12'6" Length (3810)
Matte Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



PRODUCT CODE & DESCRIPTION


COLORS

14099
Soffit Double Channel

12' Length (3658)
Brushed Texture

See Matrix On
Pages 58-59.

Packaging:
20 pcs. per ctn.
240 lineal ft. per ctn. (73.2 m)



PRODUCT CODE & DESCRIPTION	COLORS	
0010008 Double 5" Clapboard	1/2" Butt (12.7)	Aspen Gray
	2-5" Exposure per Panel (127/254)	Chestnut Brown
	12' Length (3658)	Maple Tan
	PVDF Finish (Kynar)	Tawny Oak
	Woodgrain Texture	
	Variegated Colors	
	Packaging:	
	20 pcs. per ctn.	
	2 sqs. per ctn. (18.58 m ²)	

PRODUCT CODE & DESCRIPTION	COLORS	
0008201 Double 4" Clapboard	1/2" Butt (12.7)	Bright White
	2-4" Exposure per Panel (101.6/203.2)	
	12'6" Length (3810)	Almond
	Poly Finish	Canyon Clay
	Woodgrain Texture	Dover Gray
	Packaging:	Sandstone
	24 pcs. per ctn.	Wicker
	2 sqs. per ctn. (18.58 m ²)	


PRODUCT CODE & DESCRIPTION

COLORS

0001012
Double 4" Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel (101.6/203.2)
12'6" Length (3810)
Poly Finish
Smooth Texture


Bright White



Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)

0001011
8" Clapboard

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
Poly Finish
Smooth Texture



Packaging:
24 pcs. per ctn.
2 sqs. per ctn. (18.58 m²)


PRODUCT CODE & DESCRIPTION

COLORS

0520036
12" T-4 Solid

12" Exposure per Panel (304.8)
12' Length (3658)
Poly Finish
Smooth Texture

Bright White




Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

0516036
12" T-4 Center Vented

12" Exposure per Panel (304.8)
12' Length (3658)
Poly Finish
Smooth Texture
3.9 sq. inches ventilation per lineal foot


Almond
Black
Bronze
Brownstone
Canyon Clay
Dover Gray
Grecian Green
Linen
Musket Brown
Norwood
Pebble
Royal Brown
Sage
Sandstone
Terratone
Thistle
Wicker



Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)



0515036
12" T-4 Fully Vented

12" Exposure per Panel (304.8)
12' Length (3658)
Poly Finish
Smooth Texture
11.6 sq. inches ventilation per lineal foot





Packaging:
16 pcs. per ctn.
1.92 sqs. per ctn. (17.8 m²)

PRODUCT CODE & DESCRIPTION		COLORS
0540663 16" Quad-4 Solid	16" Exposure per Panel (406.4)	Bright White
	12' Length (3658)	
	Poly Finish	
	Smooth Texture	Almond
		Brownstone
	Packaging:	Canyon Clay
	12 pcs. per ctn.	Charcoal
	1.92 sqs. per ctn. (17.8 m²)	Dover Gray
		Grecian Green
		Linen
		Musket Brown
0540661 16" Quad-4 Center Vented	16" Exposure per Panel (406.4)	Norwood
	12' Length (3658)	Pebble
	Poly Finish	Royal Brown
	Smooth Texture	Sage
	7.8 sq. inches ventilation	Sandstone
	per lineal foot	Terratone
	Packaging:	Thistle
	12 pcs. per ctn.	Wicker
	1.92 sqs. per ctn. (17.8 m²)	



PRODUCT CODE & DESCRIPTION		COLORS
0525006 6" Fascia	12'6" Length (3810)	Bright White
	Poly Finish	
	Smooth Texture	Almond
	Packaging:	Black
	24 pcs. per ctn.	Bronze
	300 lineal ft. per ctn. (91.5 m)	Brownstone
		Canyon Clay
		Charcoal
		Dover Gray
		Grecian Green
0525008 8" Fascia	12'6" Length (3810)	Linen
	Poly Finish	Musket Brown
	Smooth Texture	Norwood
	Packaging:	Pebble
	24 pcs. per ctn.	Royal Brown
	300 lineal ft. per ctn. (91.5 m)	Sage
		Sandstone
		Terratone
		Thistle
		Wicker



PRODUCT CODE & DESCRIPTION


COLORS

0103501
Deluxe™
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Poly Finish
Smooth Texture

See Matrix On
Pages 62-63.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0103508
Woodgrain™
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Poly Finish
Woodgrain Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0104209
3/4" J-Channel

12' Length (3658)
Poly Finish
Smooth Texture


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



0108609
Snap-Lock
Finish Trim

12' Length (3658)
Poly Finish
Smooth Texture

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



PRODUCT CODE & DESCRIPTION


COLORS

0109025
2-1/2" Starter Strip

10' Length (3048)

See Matrix On
Pages 62-63.


Packaging:
50 pcs. per ctn.
500 lineal ft. per ctn. (152.4 m)



0103510
Cedarwood®
Outside Corner Post

2-1/2" Face (63.5)
10' Length (3048)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



0104219
Cedarwood®
3/4" J-Channel

12' Length (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors


Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)



0108619
Cedarwood®
Snap-Lock Finish Trim

12' Length (3658)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors

Packaging:
40 pcs. per ctn.
480 lineal ft. per ctn. (146.3 m)




PRODUCT CODE & DESCRIPTION

0199033
Cedarwood®
Touch-Up Paint

Packaging:
6 pcs. per ctn.
Variegated Colors

COLORS


See Matrix On
Pages 62-63.



0530002
Reverse Frieze
Moulding

12'6" Length (3810)
Poly Finish
Smooth Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



0530008
1/2" Soffit J-Channel

12'6" Length (3810)
Poly Finish
Smooth Texture


Packaging:
40 pcs. per ctn.
500 lineal ft. per ctn. (152.4 m)



0530015
Drip Edge Style D

10' Length (3048)
Poly Finish
Smooth Texture


Packaging:
25 pcs. per ctn.
250 lineal ft. per ctn. (76.2 m)



PRODUCT CODE & DESCRIPTION

1718002
Double 4"


1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors



Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)

1718001
8"

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors



Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



STEELTEK™
SUPREME

STEEL SIDING

STEEL SIDING WITH KYNAR® PVDF

PRODUCT CODE & DESCRIPTION

COLORS

1724004
Double 4"
Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Roughsawn Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



Bright White

Adobe

Chelsea Bluff

Chevron Smoke

Delray Sand

Dover Gray

Harbor Bay

Juniper Grove

Sable

Taylor Red

Thistle

Watermill Blue

1724005
Double 5"
Clapboard

1/2" Butt (12.7)
2-5" Exposure per Panel
(127/254)
12'6" Length (3810)
PVDF Finish (Kynar)
Roughsawn Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



Sable

Taylor Red


Thistle

Watermill Blue

1724008
8" Clapboard

1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVDF Finish (Kynar)
Roughsawn Texture


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



1724012
12" Vertical
Board & Batten

5/8" Batten Height (15.9)
2" Batten Width (50.8)
12" Exposure per Panel (304.8)
10' Length (3048)
PVDF Finish (Kynar)
Medium Woodgrain Texture

Packaging:
10 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



STEELTEK™

STEEL SIDING

STEEL SIDING


PRODUCT CODE & DESCRIPTION

COLORS

1726102
Double 4"
Clapboard

1/2" Butt (12.7)
2-4" Exposure per Panel
(101.6/203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)



Bright White

Almond

Brownstone

Canyon Clay

Dover Gray

Norwood

Sage


Thistle


Wicker


1726101
8" Clapboard


1/2" Butt (12.7)
8" Exposure per Panel (203.2)
12'6" Length (3810)
PVC Finish
Woodgrain Texture


Packaging:
12 pcs. per ctn.
1 sq. per ctn. (9.29 m²)




PRODUCT CODE & DESCRIPTION		COLORS
1751102 Double 4" Clapboard	1/2" Butt (12.7)	Bright White
	2-4" Exposure per Panel (101.6/203.2)	
	12'6" Length (3810)	Almond
	PVC Finish	Brownstone
	Woodgrain Texture	Canyon Clay
	Packaging:	Dover Gray
	12 pcs. per ctn.	Norwood
	1 sq. per ctn. (9.29 m²)	Sage
		Thistle
		Wicker

1751104 Double 5" Clapboard	1/2" Butt (12.7)	
	2-5" Exposure per Panel (127/254)	
	12' Length (3658)	
	PVC Finish	
	Woodgrain Texture	
	Packaging:	
	10 pcs. per ctn.	
	1 sq. per ctn. (9.29 m²)	

1751101 8" Clapboard	1/2" Butt (12.7)	
	8" Exposure per Panel (203.2)	
	12'6" Length (3810)	
	PVC Finish	
	Woodgrain Texture	
	Packaging:	
	12 pcs. per ctn.	
	1 sq. per ctn. (9.29 m²)	

PRODUCT CODE & DESCRIPTION		COLORS
1719010 Universal [™] Double 5" Dutch Lap	1/2" Butt (12.7)	Bright White
	2-5" Exposure per Panel (127/254)	
	12' Length (3658)	Almond
	PVC Finish	Brownstone
	Woodgrain Texture	Canyon Clay
	Packaging:	Dover Gray
	10 pcs. per ctn.	Norwood
	1 sq. per ctn. (9.29 m²)	Sage
		Thistle
		Wicker

1719006 Universal [™] 12" Vertical Board & Batten	5/8" Batten Height (15.9)	
	2" Batten Width (50.8)	
	12" Exposure per Panel (304.8)	
	10' Length (3048)	
	PVC Finish	
	Medium Woodgrain Texture	
	Packaging:	
	10 pcs. per ctn.	
	1 sq. per ctn. (9.29 m²)	


PRODUCT CODE & DESCRIPTION COLORS

1855106
6" Steel Fascia

10' Length (3048)
PVC Finish
Woodgrain Texture

See Matrix On
Pages 64-65.


Packaging:
12 pcs. per ctn.
120 lineal ft. per ctn. (36.6 m)



1855108
8" Steel Fascia

10' Length (3048)
PVC Finish
Woodgrain Texture

Packaging:
12 pcs. per ctn.
120 lineal ft. per ctn. (36.6 m)




PRODUCT CODE & DESCRIPTION COLORS

1813526
3/4" Outside
Corner Post

2-1/2" Face (63.5)
10' Length (3048)
PVC Finish
Woodgrain Texture

See Matrix On
Pages 66-67.


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



1814206
3/4" J-Channel

12'6" Length (3810)
PVC Finish
Striated Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1815011
Snap-Lock Finish Trim

12'6" Length (3810)
PVC Finish
Striated Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1829020
2-1/2" Starter Strip

10' Length (3048)

Packaging:
26 pcs. per ctn.
260 lineal ft. per ctn. (79.3 m)



PRODUCT CODE & DESCRIPTION


COLORS

1829025
3-1/2" Starter Strip

10' Length (3048)

See Matrix On
Pages 66-67.


Packaging:
26 pcs. per ctn.
260 lineal ft. per ctn. (79.3 m)



1813540
SteelTek™ Supreme
Universal 3/4" Outside
Corner Post

2-1/2" Face (63.5)
10' Length (3048)
Kynar PVDF Finish
Roughsawn Texture


Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)



1844140
SteelTek™ Supreme
1-1/8" J-Channel

12'6" Length (3810)
Kynar PVDF Finish
Roughsawn Texture


Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



1814240
SteelTek™ Supreme
3/4" J-Channel

12'6" Length (3810)
Kynar PVDF Finish
Roughsawn Texture

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



PRODUCT CODE & DESCRIPTION


COLORS

1815040
SteelTek™ Supreme
Snap-Lock
Finish Trim

12'6" Length (3810)
Kynar PVDF Finish
Roughsawn Texture

See Matrix On
Pages 66-67.

Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)



0199044
SteelTek™ Supreme
2 oz. Touch-Up Paint
with Brush

Packaging:
6 pcs. per ctn.



0199444
SteelTek™ Supreme
6 oz. Touch-Up
Aerosol Paint

Packaging:
12 pcs. per ctn.

To be used with paintable accessories.




PRODUCT CODE & DESCRIPTION | COLORS

1815061
Cedarwood®
Snap-Lock Finish Trim

12'6" Lengths (3810)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors


See Matrix On
Pages 66-67.



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)

1813518
Cedarwood®
3/4" Outside
Corner Post


2-1/2" Face (63,5)
10' Lengths (3048)
PVDF Finish (Kynar)
Woodgrain Texture
Variegated Colors



Packaging:
10 pcs. per ctn.
100 lineal ft. per ctn. (30.5 m)

1814218
Cedarwood®
3/4" J-Channel

12'6" Lengths (3810)
PVDF Finish (Kynar)
Smooth Texture
Variegated Colors



Packaging:
24 pcs. per ctn.
300 lineal ft. per ctn. (91.5 m)


PRODUCT CODE & DESCRIPTION | COLORS

1890405
10.625" SteelTek™
Supreme Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.90 l/ft per lb
Kynar PVDF Finish

See Matrix On
Pages 66-67.


Packaging:
2 rolls per skid



1890409
13.250" SteelTek™
Supreme Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.36 l/ft per lb
Kynar PVDF Finish


Packaging:
2 rolls per skid



1890415
10.625" SteelTek™
Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.90 l/ft per lb
Kynar PVDF Finish


Packaging:
1 roll per skid




1890419
13.250" SteelTek™
Seamless Coil
with Kynar® PVDF
Color, 1 Side

Yields 1.36 l/ft per lb
Kynar PVDF Finish


Packaging:
1 roll per skid




PRODUCT CODE & DESCRIPTION	COLORS
1870007 22.3" PVC Color, 1 Side	See Matrix On Pages 68-69.
50' Length (15.24 m) PVC Finish	
Packaging: 1 roll per ctn.	




PRODUCT CODE & DESCRIPTION	COLORS
0710117 24" G8 Bright White, 1 Side	See Matrix On Pages 68-69.
50' Length (15.24 m) Polyester Finish	
Packaging: 1 roll per ctn.	




0737407 24" Poly Heavy-Duty Bright White Over Bright White	50' Length (15.24 m) Poly Finish
Packaging: 1 roll per ctn.	




0737107 24" Poly (LoMar) Color Over Bright White	50' Length (15.24 m) Poly (LoMar) Finish
Packaging: 1 roll per ctn.	




0735007 24" Poly (LoMar) White Over White	50' Length (15.24 m) Poly (LoMar) Finish
Packaging: 1 roll per ctn.	



PRODUCT CODE & DESCRIPTION	COLORS	
0710007 24" PVC-Coated Color, 1 Side	50' Length (15.24 m) PVC Finish	See Matrix On Pages 68-69.
	Packaging: 1 roll per ctn.	




0714007 24" Cedarwood® Variegated Color Over Solid Color	50' Length (15.24 m) PVDF Finish (Kynar) Variegated Colors	
	Packaging: 1 roll per ctn.	




Aluminum coil matching Cedarwood
aluminum and steel siding.

PRODUCT CODE & DESCRIPTION	COLORS	
0739010 24" ValuGard™ Bright White Over Bright White	50' Length (15.24 m) Poly Finish	See Matrix On Pages 68-69.
	Packaging: 1 roll per ctn.	



0710010 24" ValuGard™ Bright White, 1 Side	50' Length (15.24 m) PVC Finish	
	Packaging: 1 roll per ctn.	



PRODUCT CODE & DESCRIPTION

COLORS

0220015
Gutter Coil
.027" x 11.75"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



0200020
Gutter Coil
.027" x 11.875"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



0220012
Gutter Coil
.027" x 11.875"

Poly Finish

Packaging:
2 rolls per skid
200/400 lb per skid



0220029
Gutter Coil
.027" x 15"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



PRODUCT CODE & DESCRIPTION

COLORS

0220035
Gutter Coil
.032" x 11.75"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



0200040
Gutter Coil
.032" x 11.875"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



0220022
Gutter Coil
.032" x 11.875"

Poly Finish

Packaging:
2 rolls per skid
200/400 lb per skid



0220050
Gutter Coil
.032" x 15"

Poly Finish

Packaging:
2 rolls per skid
350/700 lb per skid



[illegible]

Designer Colors*									
872	Chesapeake Gray								
625	Coastal Blue								
665	Dark Drift								
638	Espresso								
637	Harbor Bay								
873	Hudson Slate								
642	Iron Ore								
876	Majestic Brick								
877	Marine Dusk								
874	Meadow Fern								
652	Midnight Surf								
653	Moonlit Moss								
875	Rockport Brown								
878	Smoked Timber								
631	Storm								
655	W. Smoke								

*Designer colors not available in all markets; see your Gentek sales representative for specific color offering in your region.

SHAKES & SCALLOPS
VINYL SOFFIT

	751 Snow White	004 Almond	150 Dover Gray	449 Linen	449 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage
Fairhaven Sound Single Select*												
Traditional Shake	●	●	●	●	●	●	●	●	●	●	●	●
Scallop	●	●	●	●	●	●	●	●	●	●	●	●
Cape Cod Shingle	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake	●	●	●	●	●	●	●	●	●	●	●	●
Traditional Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Starter Strip												
AccuClip												

	751 Snow White	004 Almond	150 Dover Gray	449 Linen	479 Maize	673 Monterey Sand	618 Pearl	724 Sandstone	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage
Soffit & Vertical Siding												
Sequoia Select Ultra-Premium 12"	●	●	●	●	●	●	●	●	●	●	●	●
Oxford Premium 10"	●	●	●	●	●	●	●	●	●	●	●	●
Beaded Premium 8"	●			●		●			●		●	
Fairweather 12"	●	●	●	●	●	●	●	●	●	●	●	●

Note: Black and Musket Brown are for soffit use only, not as vertical siding.
Beaded Premium soffit is not offered as vertical siding.
Fairweather center vented soffit is available in Snow White only.

COLOR MATRIX

	Designer Colors																
	840 Wicker	872 Chesapeake Gray	625 Coastal Blue	665 Dark Drift	638 Espresso	637 Harbor Bay	873 Hudson Slate	642 Iron Ore	876 Majestic Brick	877 Marine Dusk	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	875 Rockport Brown	878 Smoked Timber	631 Storm	651 W. Smoke
																	No Color
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
																	●
																	●

	Designer Colors				
	840 Wicker	048 Black	872 Chesapeake Gray	333 Musket Brown	631 Storm
	●			●	
	●	●	●	●	●
	●				
	●				

DEEP-POCKET INSULATED VINYL ACCESSORIES

		751 Snow White	004 Almond	150 Dover Gray	088 Canyon Clay	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
4" Outside Corner Post w/ Foam	14518	●	●	●	●	●	●	●	●
1-1/4" J-Channel	14061	●	●	●	●	●	●	●	●
Easy Start Starter Strip	K661945								

COLOR MATRIX

Designer Colors									
872 Chesapeake Gray	665 Dark Drift	637 Harbor Bay	873 Hudson Slate	874 Meadow Fern	652 Midnight Surf	653 Moonlit Moss	631 Storm	651 W. Smoke	No Color
●	●	●	●	●	●	●	●	●	
●	●	●	●	●	●	●	●	●	
									●

VINYL ACCESSORIES COLOR MATRIX

[illegible][illegible]

†Designer colors not available in all markets.

[illegible][illegible]

ALUMINUM ACCESSORIES | COLOR MATRIX

		004 Almond	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	379 Charcoal	151 Dover Gray	258 Grecian Green	449 Linen	333 Musket Brown	R60 Norwood
Deluxe Outside Corner Post	0103501			●									
Woodgrain OCP	0103508	●		●			●		●				
3/4" J-Channel	0104209	●		●			●		●				
Snap-Lock Finish Trim	0108609	●		●			●		●				
2-1/2" Starter Strip	0109025												
Cedarwood OCP	0103510												
Cedarwood 3/4" J-Channel	0104219												
Cedarwood Snap-Lock	0108619												
Cedarwood Touch-Up Paint	0199033												
Reverse Frieze Moulding (Poly)	0530002	●	●	●	●	●	●	●	●	●	●	●	●
1/2" Soffit J-Channel (Poly)	0530008	●	●	●	●	●	●	●	●	●	●	●	●
Drip Edge Style D	0530015	●		●		●	●		●	●	●	●	●

Variegated Colors												
307 Pebble	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	840 Wicker	020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak	No Color	
			●			●						
			●			●						
			●			●						
											●	
							●	●	●	●		
							●	●	●	●		
							●	●	●	●		
●	●	●	●	●	●	●						
●	●	●	●	●	●	●						
●	●	●	●	●	●	●						

STEEL ACCESSORIES & SEAMLESS STEEL COIL

[illegible]

Seamless Steel Coil with Kynar PVDF

[illegible]

COLOR MATRIX

[illegible]

●	●	●	●	637 Harbor Bay
●	●	●	●	633 Juniper Grove
●	●	●	●	712 Sable
●	●	●	●	268 Taylor Red
●	●	●	●	794 Thistle
●	●	●	●	266 Waremill Blue

68

[illegible]

69

ALUMINUM 24" TRIM COIL COLOR MATRIX

Siding			Poly (LoMar) 0737107	PVC 0710007
Certainteed				
633	CT	Cypress	●	●
355	CT	Desert Tan	●	●
653	CT	Forest	●	●
362	CT	Granite Gray	●	●
354	CT	Heritage Cream	●	
316	CT	Herringbone	●	●
327	CT	Ivy Green	●	●
350	CT	Light Maple	●	
309	CT	Natural Clay	●	●
601	CT	Pacific Blue	●	●
712	CT	Sable Brown	●	●
724	CT	Sandstone Beige	●	●
840	CT	Savannah Wicker	●	●
624	CT	Seagrass	●	●
068	CT	Snow	●	●
365	CT	Sterling Gray	●	
592	CT	Terra Cotta	●	●
725	CT	Warm Sand	●	●
Exterior Portfolio				
316	C	Bone	●	●
307	C	Clay	●	●
462	C	Country Beige	●	●
470	C	Cypress	●	●
336	C	Driftwood	●	●
329	C	Espresso	●	●
651	C	Graphite	●	●
362	C	Greystone	●	●
471	C	Harbor Blue	●	●
326	C	Honey Oak	●	●
465	C	Ivory	●	●
688	C	Lighthouse Red	●	●
725	C	Mocha	●	●
590	C	Olive	●	●
412	C	Pearl	●	●
574	C	Regatta Blue	●	●
472	C	Rye	●	●
475	C	Saddle	●	●
652	C	Slate	●	●
327	C	Stratford Blue	●	●
460	C	Wheat	●	●

COMPETITIVE BRANDS

Siding (continued)			Poly (LoMar) 0737107	PVC 0710007
Mastic				
004	MT	Almond	●	●
724	MT	Cameo	●	●
479	MT	Classic Cream	●	●
001	MT	Desert Clay	●	●
333	MT	Musket Brown	●	●
307	MT	Pebblestone	●	●
618	MT	Silver Gray	●	●
336	MT	Victorian Gray	●	●
Royal				
329	RC	Bark	●	●
412	RC	Linen	●	●
652	RC	Midnight Surf	●	●
666	RC	Natural Cedar	●	●
120	RC	Redwood	●	●
326	RC	Sable	●	●
001	RC	Sand	●	●
653	RC	Shamrock	●	●
350	RC	Soft Maple	●	
618	RC	Sterling	●	●
R26	RC	Vintage Cream	●	●
522	RC	Walnut	●	

Windows			Poly (LoMar) 0737107
Andersen			
A10	AN	Black/AN White	●
A03	AN	Canvas/AN White	●
A05	AN	Cocoa Bean/AN White	●
A08	AN	Dark Bronze/AN White	●
A09	AN	Forest Green	●
A11	AN	Red Rock/AN White	●
A07	AN	Sandstone/AN White	●
A06	AN	Terratone/AN White	●
A02	AN	White/AN White	●

GUTTER COIL | COLOR MATRIX

Gutter Coil

			004 Almond	048 Black	064 Bronze	418 Brownstone	088 Canyon Clay	151 Dover Gray	258 Grecian Green	449 Linen	333 Musket Brown	R60 Norwood	307 Pebble
.027 x 11.75	0220015	350 lbs											
.027 x 11.875	0200020	350 lbs											
.027 x 11.875	0220012	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.027 x 15	0220029	350 lbs											
.032 x 11.75	0220035	350 lbs											
.032 x 11.875	0200040	350 lbs											
.032 x 11.875	0220022	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.032 x 15	0220050	350 lbs											

736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	906 White – Hi-Gloss	905 White – Lo-Gloss	840 Wicker
					●	●	
					●	●	
●	●	●	●	●			●
					●	●	
					●	●	
●	●	●	●	●			●
				●	●	●	

GENTEK VINYL SIDING AND SOFFIT

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

Property	ASTM Test	Results
Tensile Strength (psi)	D-638	6,700
Modulus of Elasticity (psi)	D-638	410,000
Izod Impact (70°F)	D-256	3.6 (ft-lb/in of notch)
Izod Impact (32°F)	D-256	2.0 (ft-lb/in of notch)
Flexural Strength (psi)	D-790	14,000
Coefficient of Linear Expansion	D-696	5.3 x 10 ⁻⁵ (mm/mm °C) 2.9 x 10 ⁻⁵ (in/in °F)
Deflection Temperature Under Load 264 psi (°C)	D-648	73

PRODUCT PHYSICALS

All siding products, soffit panels and accessories are made with solid color throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Color: Spectrophotometer controlled
Gloss: Gardner gloss meter controlled
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

Sequoia Select EnFusion	0.046"
Sequoia Select	0.046"
Sequoia Select Extended	0.046"
Sequoia Select Board & Batten	0.048"
Centennial Beaded	0.044"
Signature Supreme	0.044"
Concord	0.042"
Aurora II	0.040"
Sequoia Select Ultra-Premium Soffit	0.044"
Oxford Premium Soffit	0.042"
Beaded Premium Soffit	0.042"
Fairweather Soffit	0.040"

WARRANTY

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

SOFFIT VENTILATION AREA

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

12" Sequoia Select Ultra-Premium Vented	10 sq in
10" Oxford Fully Vented	5.3 sq in
8" Beaded Vented	2.4 sq in
12" Fairweather Center Vented	2.3 sq. in
12" Fairweather Fully Vented	7.1 sq in

FIRE RESISTANCE RATINGS

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

Property	ASTM Test	Results
Average Burn Distance	D-635	20mm
Average Burn Time	D-635	<5 seconds
Flash Ignition Temperature	D-1929	752°F
Self Ignition Temperature	D-1929	860°F
Flame Spread Index	E-84	15
Smoke Developed Index	E-84	<400
Fire Resistance	E-119	1-hour rated* 2-hour rated*

**See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.*

Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

WINDLOAD PROPERTIES

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

BUILDING CODES

Gentek vinyl products meet or exceed the following building code specifications:

ICC-ESR – 1133
CCMC – 06541-L
New York City MEA 132-94-M
FHA/HUD Minimum Property Standards

GENTEK SHAKES AND SCALLOPS

Gentek shakes and scallops are produced from a modified (ASTM 5630) outdoor polypropylene copolymer, also known as a reinforced thermoplastic polyolefin (TPO). Produced to precise tolerances using formulated compounds specifically designed for exterior applications, meeting or exceeding the following:

Property	ASTM Test	Results
Tensile Strength @ Yield (psi)	D-638	3,000
Izod Impact (23°C)	D-256	2.5 (ft-lb/in of notch)
Flexural Modulus (psi)	D-790	200,000
Gardner Impact (23°C)	D-5420	180 (in-lb)
Windload	5206	205 mph Traditional Shake 267 mph Scallop 214 mph Cape Cod Shingle 217 mph Hand-Split Shake

PRODUCT PHYSICALS

The material has a solid color throughout and is UV stabilized. Shakes and scallops are continually tested for weatherability in both light and darker colors.

Material thickness:
Traditional Shake: 0.085"
Scallop: 0.085"
Cape Cod Shingle: 0.075"
Hand-Split Shake: 0.100"

Color: Spectrophotometer controlled

Traditional Shake
7" panel (single course) exposure by 81" exposure
26 panels per 100 sq ft coverage
Panel weight of 3.07 lb
Natural cedar texture

Scallop
6-1/4" panel (single course) exposure by 76" exposure
30 panels per 100 sq ft of coverage
Panel weight of 2.3 lb
Natural cedar texture

Cape Cod Shingle
10" panel (double course) exposure by 65" exposure
22 panels per 100 sq ft coverage
Panel weight of 3.2 lb
Natural cedar texture

Hand-Split Shake
9" panel (single course) exposure by 76.5" exposure
22 panels per 100 sq ft of coverage
Panel weight of 4.1 lb
Deep cedargrain texture
Staggered bottom edge

WARRANTY

Lifetime Limited Transferable Warranty. See printed warranty for complete details.

FIRE SAFETY

When polypropylene material is exposed to considerable heat or flame the polypropylene will soften, melt or burn and may possibly expose the material underneath. Care needs to be taken when selecting underlayment materials because many are made from organic materials that are combustible. Fire properties of underlayment materials must be established prior to their installation. All burning materials should be installed in accordance with local, state (provincial) and federal fire regulations and building codes.

INSTALLATION

Complete installation instructions for shakes and scallops are available. Please review prior to installation.

GENTEK ALUMINUM SIDING AND SOFFIT

ALUMINUM METAL PROPERTIES

Alloy or Equivalent	3000 series
Specific Gravity	2.72
Minimum Ultimate Strength (KSI)	25
Minimum Yield (KSI)	22
Minimum Elongation (%)	4
Modulus of Elasticity (KSI)	10,000
Coefficient of Thermal Expansion (in/in °F)	0.0000131
Melting Range (°F)	1175-1210
Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)	1190

COATING PROPERTIES

Gentek aluminum siding products are manufactured with AA3000 series alloy or equivalent. Both sides of the aluminum sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated aluminum is then coated with one of the following:

Polyester (Poly) Topcoat: This thermoset polymer resin is cured at 450°F forming a hard, flexible, mar resistant and weatherable coating. The coating thickness is 0.8 mil.

A corrosion-resistant polymer (i.e., primer) is applied to the pretreated aluminum and then top coated with one of the following polymeric systems:

WARRANTY

All Gentek aluminum siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

PRODUCT PHYSICALS

Product	Coating Type	Thickness
Cedarwood	PVDF ₂	0.024
Woodgrain Series 2000	Poly	0.019
Deluxe 4"	Poly	0.019
Deluxe 8"	Poly	0.024
Hi-Tensile Soffit	Poly	0.016
Deluxe Fascia	Poly	0.024
HD Trim Coil	Poly	0.024
Trim Coil	Poly	0.019
Trim Coil	PVC	0.019

SOFFIT VENTILATION AREA

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit are as follows:

Profile	Vent	NFOA (in²/foot)
16" 4 Panel	Center Vent	7.8
12" 3 Panel	Center Vent	3.9
	Full Vent	11.6

BUILDING CODES

Gentek aluminum products meet or exceed the following building code specifications:

ICC-ES Legacy – Report #97-64
AAMA 1402-86
FHA/HUD Minimum Property Standards

GENTEK STEEL SIDING

METAL PROPERTIES

Steel or Equivalent	AZ-50
Specific Gravity	7.8
Minimum Ultimate Strength (KSI)	45-55
Minimum Yield (KSI)	40-50
Minimum Elongation (%)	25-35
Modulus of Elasticity (KSI)	29,500
Coefficient of Thermal Expansion (in/in °F)	0.000006
Melting Range (°F) Steel	>2700
Melting Range (°F) Zinc	786
Thermal Conductivity at 77°F (btu-in/ft²-hr-°F)	555

COATING PROPERTIES

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

Plastisol (PVC) Topcoat: This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

Fluoropolymer (PVDF₂): This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF₂. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

WARRANTY

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

CONTACT WITH DISSIMILAR MATERIALS

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

PRODUCT PHYSICALS

Product	Coating Type	Thickness*
Cedarwood	PVDF ₂	0.017
SteelTek Supreme	PVDF ₂	0.017
SteelTek Supreme Seamless Steel Coil	Kynar® PVDF	0.017
SteelTek	PVC	0.017
SteelSide	PVC	0.017
Universal	PVC	0.017
*29 Gauge		

BUILDING CODES

Gentek steel products meet or exceed the following building code specifications:

- ICC-ES Legacy – Report #97-64
- AAMA 1406-86
- FHA/HUD Minimum Property Standards

*Black and Musket Brown are for soffit use only, not vertical siding.

GENTEK

gentekinc.com



GENTEK®
GENTEK BUILDING PRODUCTS, INC.

3773 State Road, Cuyahoga Falls, Ohio 44223
www.gentekinc.com

Make us a part of your home.



Due to product changes, improvements and other factors, Gentek reserves the right to change or delete information contained herein without prior notice. Kynar is a registered trademark of Arkema Inc. Galvalume is a registered trademark of BIEC International Inc. HYLAR 5000 is a registered trademark of Ausimont USA, Inc. USGBC and related logo is a trademark owned by the U.S. Green Building Council.
Effective Date: March 2023

